



Village of Itasca

Community Development Department
 550 W. Irving Park Rd. Itasca, IL 60143
 Phone: 630-773-5568 Fax: 630-773-0852
www.itasca.com

Driveway/Walkway Guidelines

Submittal for a Permit:

Items:	Check once finished
<p style="text-align: center;">Plat of Survey- 4 copies</p> <ul style="list-style-type: none"> ➤ Including location and size of driveway/walkway with respect to all lot lines. ➤ Show all current conditions of lot including all structures (deck, shed, etc.) and flat work (driveway, walkways, etc.) with dimensions 	<input type="checkbox"/>
<p style="text-align: center;">Complete Set of Plans-4 copies</p> <ul style="list-style-type: none"> ➤ Showing type of material(s) including bedding material 	<input type="checkbox"/>
<p>Complete Permit Application</p>	<input type="checkbox"/>

Driveway and Walkway requirements:

- Existing grade/height must be maintained
- Natural drainage of lot shall be maintained

Concrete:

- Minimum 4-inch clean compacted gravel base
- Minimum 5 -inch finished concrete air entrain 6-bag max with 6x6 #0 wire reinforcement
- Walkways don't require reinforcement

Asphalts:

- Minimum 8-inch clean compacted gravel base

- Minimum 2-inch clean compacted gravel base
- Minimum 2- inches bituminous surface

Typical inspection required:

- Pre-Pour
- Final Building
- Additional inspection may be required and will be determined during review